








THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION NOV, 2001.
 © COPYRIGHT 2001 By -- ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS			
P	LTR	DESCRIPTION	DATE	DWN	APVD
J2		REVISED PER ECO-11-005033	24MAR11	RK	HMR



DETAIL L
(SCALE 5:1)



GENERAL TOLERANCE
 $10 \geq \pm 0.2$
 $30 \geq > 10: \pm 0.25$
 $100 \geq > 30: \pm 0.3$
 ANGLES: $\pm 3^\circ$

(APPLIED TO SHEET 1-2)

- MATERIAL ; HOUSING: HIGH TEMPERATURE THERMO PLASTIC UL94V-0
 CONTACT: COPPER ARROY
 LOCK LEVER: STAINLESS STEEL
 SOLDER PEG: COPPER ARROY
- FINISH ; CONTACT AREA: GOLD FLASH ON 0.0013MIN ALL OVER NICKEL.
 SOLDERING AREA: GOLD FLASH PLT.
 SOLDER PEG: TIN PLATING.
- MECHANICAL KEY POSITION OF CONNECTOR SEE TABLE.
- TOLERANCES NON-CUMULATIVE.
- NOT TO SCALE.
- INSIDE MUST BE RESIST COAT EXCEPT SOLDER PATTERN.
- COPLANARITY : 0.1 MAX.
- THE FLOATING VALUE BY SOLDERING IS NOT INCLUDED.
- NOT MATING CONDITION.
- FINISH ; CONTACT AREA: 0.00076 GOLD ON 0.0013MIN ALL OVER NICKEL.
 SOLDERING AREA: 0.00076 GOLD PLT.
 SOLDER PEG: TIN PLATING.
- IF THE MODULE DOESN'T INSERT AND LOCK IN THE LATCH SMOOTHLY,
 OPEN WIDE BOTH LATCHES BY MANUAL. AND THE MODULE MUST BE
 INSERTED AND LOCKED IN THE LATCH.

TYPE 1		AVAILABLE	——H——	2.5V (DDR1)	18.45	1.5	1.8	200	1473005-5		
TYPE 2		AVAILABLE	BOSSLESS	1.8V (DDR2)	17.55	2.4	2.7	200	1-1473005-4		
TYPE 2		AVAILABLE	——H——	1.8V (DDR2)	17.55	2.4	2.7	200	1473005-4		
TYPE 1		AVAILABLE	HOUSING COLOR:GRAY BOSSLESS	2.5V (DDR1)	18.45	1.5	1.8	200	6-1473005-1		
TYPE 1		AVAILABLE	BOSSLESS	2.5V (DDR1)	18.45	1.5	1.8	200	1-1473005-1		
TYPE 1		AVAILABLE	——H——	2.5V (DDR1)	18.45	1.5	1.8	200	1473005-1		
TAB TYPE	FINISH	TOOLING STATUS	REMARK	POWER SUPPLY (TYPE)	D5	D4	D3	POS	PART NO.		
THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN B.WONG	TE Connectivity						
				CHK C.WANG							
DIMENSIONS: MM		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S.YAO	NAME DDR1 & DDR2 SODIMM SOCKET 0.6mm PITCH 200POS STANDARD PROFILE STANDARD TYPE						
				PRODUCT SPEC 108-5701							
				APPLICATION SPEC							
				RESTRICTED TO							
MATERIAL		FINISH		WEIGHT 4.7g	SIZE A3			CAGE CODE 00779		DRAWING NO C-1473005	
				CUSTOMER DRAWING					SCALE 2:1	SHEET 1 OF 4	

