




REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
X1			INITIAL RELEASE	23.05.15	JACKY
X2			Modify part number rules	23.06.30	JACKY
X3			Add packaging drawings	23.07.13	JACKY

NOTES:
PRODUCT MUST MEET CONTROLLED SUBSTANCES SPEC. ROHS 2.0
1. MATERIAL: HIGH TEMPERATURE THERMOPLASTIC
2. THE SHAPE, SIZE AND POSITION OF THE CHARACTER SHOW THE OUTLINE. THEY DON'T SHOW DETAILS.
3. UNSPECIFIED TOLERANCE: X:±0.30 X:±5°
.X±0.25 .X±3°
.XX±0.20


4. PART NUMBER INFORMATION:

56**BG-***R * * * * 0000

RESERVE NUMBER
KEYING MARK
X: KEY X
Y: KEY Y
PACKAGE CODE:
B: BAG PACING
LOGO:
1: WITH DEREN LOGO
2: WITHOUT LOGO
HOUSING COLOR:
1: BLACK
2: WHITE
WATER CODE: 001~ZZZ
POS CODE:
02: 2POS
03: 3POS
04: 4POS
05: 5POS
06: 6POS

	02	X	5602BG—006R***X0000	24.62	19.02	14.16	5.08
	02	Y	5602BG—006R***Y0000	24.62	19.02	14.16	5.08
	03	X	5603BG—006R***X0000	29.70	24.10	19.24	10.16
	03	Y	5603BG—006R***Y0000	29.70	24.10	19.24	10.16
	04	X	5604BG—012R***X0000	34.78	29.18	24.32	15.24
	04	Y	5604BG—012R***Y0000	34.78	29.18	24.32	15.24
KEYING LOCATION	POS	KEYING	P/N	A	B	C	D

DIM	TOL	DIM	TOL	DEREN SHENZHEN DEREN ELECTRONIC CO., LTD							
X.	±0.30	X.	±2°								
.X	±0.25	.X	±1°								
.XX	±0.20			DRAW NO.		C-DWG:		DATE		TITLE: DR500 S_Wire Rec_2~6Pin Pitch5.08 HSG	
				SC2309327-1		DESIGN: JACKY		23,07,13		P/N: 56**BG-***R***0000	
				REV. X3		CHECK:				SHEET: 1/3	
						APPROVAL:				SCALE: N/A UNIT: mm	



REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
X1			INITIAL RELEASE	23.05.15	JACKY
X2			Modify part number rules	23.06.30	JACKY
X3			Add packaging drawings	23.07.13	JACKY

	05	X	5605BG-006R***X0000	39.86	34.26	29.40	20.32
	05	Y	5605BG-006R***Y0000	39.86	34.26	29.40	20.32
	06	X	5606BG-018R***X0000	44.94	39.34	34.48	25.40
	06	Y	5606BG-018R***Y0000	44.94	39.34	34.48	25.40
KEYING LOCATION	POS	KEYING	P/N	A	B	C	D

DIM	TOL	DIM	TOL	 DEREN SHENZHEN DEREN ELECTRONIC CO., LTD			
X.	±0.30	X.	±2°				
.X	±0.25	.X	±1°				
.XX	±0.20						
				DRAW NO.		DATE	TITLE: DR500 S_Wire Rec_2~6Pin Pitch5.08 HSG
				SC2309327-1		DESIGN: JACKY	P/N: 56**BG-***R***0000
				REV. X3		CHECK:	SHEET: 2/3
				APPROVAL:		SCALE: N/A	UNIT: mm

A

B

C

D

E

A

B


C

D

E

12345678

REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
X1			INITIAL RELEASE	23.05.15	JACKY
X2			Modify part number rules	23.06.30	JACKY
X3			Add packaging drawings	23.07.13	JACKY



PACKAGE QUANTITY:

PART NO.	POS	PCS/BAG	BAG/BOX	PCS/BOX
5602BG-006R**B*0000	2	320	6	1920
5603BG-006R**B*0000	3	290	6	1740
5604BG-012R**B*0000	4	260	6	1560
5605BG-006R**B*0000	5	230	6	1380
5606BG-018R**B*0000	6	200	6	1200

DIM	TOL	DIM	TOL	 DEREN SHENZHEN DEREN ELECTRONIC CO., LTD			
X.	±0.30	X.	±2°	C-DWG:		DATE	TITLE: DR500 S_Wire Rec_2~6Pin Pitch5.08 HSG
.X	±0.25	.X	±1°	DESIGN:	JACKY	23,07,13	P/N: 56**BG-***R****0000
.XX	±0.20			DRAW NO.	SC2309327-1	CHECK:	SHEET: 1/3 
				REV.	X3	APPROVAL:	SCALE: N/A UNIT: mm

12345678