

A

B

C

D

E

6POS

8POS

12POS

14POS

16POS

18POS

20POS

REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
X1			INITIAL RELEASE	22,11,28	JACKY
X3			Modify part number rules	23,06,30	JACKY
X4			Add packaging drawings	23,07,13	JACKY

A

B

C



D

E

DIM	TOL	DIM	TOL	 DEREN SHENZHEN DEREN ELECTRONIC CO.,LTD							
X.	<u>±0.30</u>	X.	<u>±2°</u>	DRAW NO. SC2309322-1 REV. X4		C-DWG:		DATE		TITLE: DR380 D_Board Plug_6~20Pin Pitch3.81 90°_DIP_ASSY	
.X	<u>±0.25</u>	.X	<u>±1°</u>			DESIGN:	JACKY	23,07,13	P/N: 56**BG-***R****T000		
.XX	<u>±0.20</u>					CHECK:			SHEET: 2/3 		
						APPROVAL:			SCALE: N/A UNIT: mm		


12345678

REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
X1			INITIAL RELEASE	22,11,28	JACKY
X3			Modify part number rules	23,06,30	JACKY
X4			Add packaging drawings	23,07,13	JACKY




PACKAGE QUANTITY:

PART NO.	POS	PCS/TRAY	TRAY/BOX	PCS/BOX
5606BG-013R***TT000	6	55	12	660
5608BG-007R***TT000	8	50	12	600
560ABG-014R***TT000	10	40	12	480
560CBG-010R***TT000	12	35	12	420
560EBG-004R***TT000	14	30	12	360
560GBG-010R***TT000	16	30	12	360
560JBG-004R***TT000	18	25	12	300
560LBG-012R***TT000	20	25	12	300



WITH DEREN LOGO
(Used for logo products)



WITHOUT LOGO
(Used for logo-free products)

DIM	TOL	DIM	TOL	 DEREN SHENZHEN DEREN ELECTRONIC CO., LTD			
X.	±0.30	X.	±2°				
.X	±0.25	.X	±1°	C-DWG: DESIGN: JACKY DATE: 23,07,13 CHECK: APPROVAL:			
.XX	±0.20						
				DRAW NO. SC2309322-1 REV. X4			
				TITLE: DR380 D_Board Plug_6~20Pin Pitch3.81 90°_DIP_ASSY P/N: 56**BG-***R***T000 SHEET: 3/3 SCALE: N/A UNIT: mm			