






HF

Halogen Free



20POS: 560LBG-006H****T000



REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
X1			INITIAL RELEASE	2022.09.08	tanghaibo
X2		1/2	新增规格	2022.10.29	tanghaibo
X3		2/3	修改编码电镀选项	2023.02.17	tanghaibo

- MATERIAL: HOUSING: GLASS FILED THERMO PLASTIC POLYESTER(94V-0)
COLOR: BLACK OR WHITE
CONTACT: COPPER ALLOY
RETENTION PEG: PRE-TIN COPPER ALLOY
- FINISH(ALL OVER): NICKEL PLATING 1.27um MIN
- FINISH(CONTACT AREA): GOLD PLATING TIN SPECIFICATIONS
REFER TO THE FOLLOWING MATERIAL
NUMBER CODE SPECIFICATIONS
- FINISH(CONTACT TAIL): TIN PLATING 2um MIN AFTER
- THE SHAPE, SIZE AND POSITION OF THE CHARACTER
SHOW THE OUTLINE.
THEY DON'T SHOW DETAILS
- DATECODE: YYWW
YY: YEAR(22: 2022)
WW: WEEK(25: THE 25TH WEEK)
D: DAY(1~7: SUNDAY~SATURDAY)

7. PART NO.: 56**BG-***H * * * * T000

RESERVE NUMBER
PACKAGE CODE:
P: TUBE
R: REEL
T: TRAY
LOGO MARK:
1: WITH DEREN LOGO
2: WITHOUT LOGO
PLATING CODE: 1/2
4: Au:15u"
6: Sn:OVER TIN
HOUSING COLOR:
1: BLACK
2: WHITE
WATER CODE: 001~ZZZ
POS CODE: 20POS: 0L
16POS: 0G
12POS: 0C
10POS: 0A
08POS: 08
06POS: 06
04POS: 04

20	X	9	22.5	26.0	27.6	560LBG-006H****T000	560LBG-008H***00000
16	X	7	17.5	21.0	22.6	560GBG-001H****T000	560GBG-005H***00000
12	X	5	12.5	16.0	17.6	560CBG-001H****T000	560CBG-005H***00000
10	X	4	10.0	13.5	15.1	560ABG-005H****T000	560ABG-009H***00000
08	X	3	7.5	11.0	12.6	5608BG-001H****T000	5608BG-003H***00000
06	X	2	5.0	8.5	10.1	5606BG-001H****T000	5606BG-005H***00000
04	X	1	2.5	6.0	7.6	5604BG-001H****T000	5604BG-004H***00000
POS	KEY	n	A	B	C	MALE PART NO.	FAMALE PART NO.













DIM	TOL	DIM	TOL
x.	±0.30	x.	±5'
.x	±0.30	.x	±3'
.xx	±0.30		

		DEREN						
		SHENZHEN DEREN ELECTRONIC CO., LTD						
		CUSTOMER DRAWING			DATE		TITLE: WTB Male XXP 15H Pitch2.5 90°DIP ASSY	
		DESIGN: Tanghaibo		2023.02.17		P/N: 56**BG-***H****T000		
DRAW NO. ***		CHECK:				SHEET: 1/3		
								
REV.	X3	APPROVAL:				SCALE: 1:1 UNIT: mm		

HF

Halogen Free

REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
X1			INITIAL RELEASE	2022.09.08	tanghaibo
X2		1/X2	新增规格	2022.10.29	tanghaibo
X3		1/X3	修改编码电镀选项	2023.02.17	tanghaibo



16POS: 560GBG-001H****T000

12POS: 560CBG-001H****T000

10POS: 560ABG-005H****T000

08POS: 5608BG-001H****T000

DIM	TOL	DIM	TOL
x.	±0.30	x.	±5°
.x	±0.30	.x	±3°
.xx	±0.30		



DEREN

SHENZHEN DEREN ELECTRONIC CO., LTD

DRAW NO.

REV.

X3

CUSTOMER DRAWING

DESIGN:

Tanghaibo

CHECK:

APPROVAL:

DATE

2023.02.17

TITLE: WTB Male XXP 15H Pitch2.5
90DIP ASSY





P/N: 56**BG-****H****T000

SHEET: 2/3



SCALE: 1:1 UNIT: mm

HF

Halogen Free




ROW ID
BOTH SIDE



RECOMMEND PC BOARD HOLE PATTERN:
CONNECTOR MOUNT SIDE
(NOT ACCUMULATE TOLERANCE)
PC BOARD THICKENSS: 1.0~1.6±0.10
ONLY 4POS

REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
X1			INITIAL RELEASE	2022.09.08	tanghaibo
X2		1/2	新增规格	2022.10.29	tanghaibo
X3		1/3	修改编码电镀选项	2023.02.17	tanghaibo




RECOMMEND PC BOARD HOLE PATTERN:
CONNECTOR MOUNT SIDE
(NOT ACCUMULATE TOLERANCE)
PC BOARD THICKENSS: 1.0~1.6±0.10

06POS: 5606BG-001H****T000

04POS: 5604BG-001H****T000

DIM	TOL	DIM	TOL
x.	±0.30	x.	±5°
.x	±0.30	.x	±3°
.xx	±0.30		



DEREN

SHENZHEN DEREN ELECTRONIC CO., LTD

CUSTOMER DRAWING		DATE	TITLE: WTB Male XXP 15H Pitch2.5 90DIP ASSY
DESIGN:	Tanghaibo	2023.02.17	P/N: 56**BG-****H****T000
CHECK:			SHEET: 3/3
APPROVAL:			SCALE: 1:1 UNIT: mm