



HH



PIN No.	A	B	C	D
02	6.65	N/A	6.00	4.30
04	9.65	3.00	9.00	7.30
06	12.65	6.00	12.00	10.30
08	15.65	9.00	15.00	13.30
10	18.65	12.00	18.00	16.30
12	21.65	15.00	21.00	19.30
14	24.65	18.00	24.00	22.30
16	27.65	21.00	27.00	25.30
18	30.65	24.00	30.00	28.30
20	33.65	27.00	33.00	31.30
22	36.65	30.00	36.00	34.30
24	39.65	33.00	39.00	37.30

Locking Plate Foot


WJ01-XX2-4-VHT, Locking Plate Foot

WJ01-XX2-3-VHT, Without Locking Plate Foot



ShenZhen ShenTai weixiang Electronics Co., Ltd.

TOLERANCE UNLESS OTHERWISE SPECIFIED				SCALE 1:1		ORIGINAL DRAWN: Lun Li		DATE 2025/08/20		DWG. NO. 600-0000-0801		TITLE Micro Fit 180° DIP Straight Needle Customer Diagram		REV. 1	
				UNIT MM		CHECK: Zan Zhu		DATE 2025/08/20		PARTS NO. (INTENDED USE) WJ01-XX2-X-VHT				SHEET 2/3	
X. X	±0.35	X. °	±3°	SIZE A4		APPROVE: Wolfe Liu		DATE 2025/08/20							
X. XX	±0.20	X. X°	±2°												
X. XXX	±0.10	X. XX°	±1°												



Schematic Diagram of Anti-Fool Position of Docking Port With Different Pin Numbers

 ShenZhen ShenTai weixiang Electronics Co., Ltd.	TOLERANCE UNLESS OTHERWISE SPECIFIED				SCALE 16:5		ORIGINAL DRAWN: Lun Li		DATE 2025/08/20		DWG. NO. 600-0000-0801		TITLE		REV. 1	
	X. X	±0.35	X. °	±3°	UNIT MM		CHECK: Zan Zhu		DATE 2025/08/20		PARTS NO. (INTENDED USE) WJ01-XX2-X-VHT		Micro Fit Plastic Foolproof Position		SHEET 3/3	
	X. XX	±0.20	X. X°	±2°	SIZE A4 		APPROVE:		DATE							
	X. XXX	±0.10	X. XX°	±1°			Wolfe Liu		2025/08/20							